United States Patent [19]

Zwiercan et al.

[11] Patent Number:

4,499,116

[45] Date of Patent:

Feb. 12, 1985

[54]	IMITATION CHEESE PRODUCTS
	CONTAINING MODIFIED STARCH AS
	PARTIAL CASEINATE REPLACEMENT AND
	METHOD OF PREPARATION

[75] Inventors: Gary A. Zwiercan, Knutsford, England; Norman L. Lacourse, Plainsboro; Julianne M. Lenchin,

Cranbury, both of N.J.

[73] Assignee: National Starch and Chemical Corporation, Bridgewater, N.J.

[21] Appl. No.: 556,479

[22] Filed: Dec. 2, 1983

Related U.S. Application Data

[63]	Continuation-in-part of Ser. No. 455,389, Jan. 3, 1983	١,
	abandoned.	

[51]	Int. Cl. ³	A23C 20/00
	U.S. Cl	
	Field of Search	

[56]

References Cited U.S. PATENT DOCUMENTS

3,741,774	6/1973	Burkwall	426/582
3,917,873	11/1975	Kuroda et al	
3,922,374	11/1975	Bell et al	426/582
4,045,589	8/1977	Petrowski et al	426/609
4,075,360	2/1978	Rule et al	426/582
4,104,413	8/1978	Wynn et al	426/582
4,159,982	7/1979	Hermansson	260/119
4,199,608	4/1980	Gilmore et al	426/570
4,207,355	6/1980	Chiu et al	426/578
4,251,556	2/1981	Burkwall, Jr. et al	426/332
4,349,577	9/1982	Tessler	

FOREIGN PATENT DOCUMENTS

456754 1/1975 Australia .

1589775	4/1970	France .
2095139	2/1972	France .
2445840	8/1980	France .
51-77651	7/1976	Japan .
52-108058	10/1977	Japan .
		United Kingdom .
2032241	5/1980	United Kingdom

OTHER PUBLICATIONS

G. Downey and K. J. Burgess, "Modification of the Aqueous Solubility of Edible Fibers Composed of Casein and Carrageenan", 1979, I. J. Food Sc. Technol. 3, #1, pp. 33-42, (CA93 24650n).

Nahrung 21, #7, p. 617 (CA88 36051y), H. Schmandke and G. Muschiolik, "The Effect of Dialdehyde Starch on the Rehydration of Textured Protein", 1977.

Primary Examiner—Arthur L. Corbin Attorney, Agent, or Firm—Edwin M. Szala; Margaret B. Kelley

[57] ABSTRACT

An imitation cheese product, which is functionally equivalent to a caseinate-based imitation cheese product, contains selected edible modified starches as replacements for up to 80% by weight of the caseinate present in the cheese product. Suitable starches include pregelatinized converted starches having a water fluidity (WF) of about 5-90 and an amylose content of at least about 15% to below 40% and selected derivatives and/or crosslinked products thereof. Suitable converted starches include fluidity starches prepared by acid- or enzyme-conversion or oxidized starches prepared by treatment with up to about 2% active chlorine. The starches may be pregelatinized by drum-drying and jet-cooking, or jet-cooking and spray drying.

20 Claims, No Drawings